



## Technical Rider

For technical information:

Sound Engineer: Shahar Levi // +972503137795

[Shahar.sound@gmail.com](mailto:Shahar.sound@gmail.com)

## PA Requirements:

- 3 WAY PA system with stereo linked graphic eq on the insert Mayer Sound –L Series/M Series / L-Acustics K Series + SB 28 Subs Outline / GTO/MANTAS
- System will provide 120 DBSPL all over crowd area!(No distortion)
- Conslle:  
Digital mixer that can contain all the I/O channels from the following options:  
DIGICO SD12/10 2nd choice – SD9 / A&H D-LIVE (**NO I-LIVE!**) Midas Pro Series / Yamaha RIVAGE PM7/10 – CL Series
- 4 Wedge monitors with 31 Band GEQ on the insert point.
- **(in use of analog system please make sure to inform us!**

### BACKLINE:

- Pearl Masters Maple / DW Collectors 14”Rack Tom 16”Floor Tom 22”  
Kick Drums
- Snare stand, HH Stand, 3 Cymbal Stand, Carpet, Drum Throne
- Kick drum pedal – DW 9000/Pearl Eliminator (single)
- X2 Guitar amplifiers:  
Vox AC30 / Roland Jazz Chorus / Fender Twin Reverb / Fender Deluxe
- X3 Guitar Stands
- Bass Amplifier:  
Ampeg SVT VR / Markbass TTE 501 Bass Cabinet –Ampeg SVT810E / Markbass Standard 104HF
- Keys Stand

### MONITORING:

- AUX 1 (Pre Fader) - Drums Monitor - 15”Wedge
- AUX 2 (Pre Fader) - Bass Monitor - 15”Wedge
- AUX 3 (Pre Fader) - Keys monitor - 15”Wedge
- AUX 4 (Pre Fader) - Guitar left - 15”Wedge

Preferable Options: D&B M4 , EAW MICROWEDGE 15” , MEYER MJF212A, L’Acoustic XT115-HiQ

SEND LIST					
1	DRUMS	WEDGE	5	DRUM VERB	ST FX RTN
2	GTR	WEDGE	6	SHORT VERB	ST FX RTN
3	FRONT	WEDGE	7	LONG VERB	ST FX RTN
4	BASS	WEDGE	8	DDL	ST FX RTN

INPUT LIST				
Ch.Number	Ch. Name	Ch. Name	Stand	Position
1	IN	D71/BETA 91		
2	OUT	D6/112	Short	
3	HH	C451/SM81	Short	
4	SNR T	SM57	Short	
5	SNR B	e604		
6	TT	e604		
7	FT	e604		
8	OH L	C451/SM81	Tall	
9	OH R	C451/SM81	Tall	
10	BASS	DI(klark/bss)		
11	E.GTR L	e906	Short	
12	E.GTR R	e906	Short	
13	MAC L	DI		
14	MAC R	DI		
15	KORG	DI		
16	VOC DRUMS	BETA 56	Tall	
17	SPLIT			
18	VOC GTR L	SM 58	Tall	
19	SPLIT			
20	VOC LEAD	Beta 57	Tall	
21	SPLIT			
22	VOC BASS	SM 58	Tall	
23	SPLIT			
24	TB	SM 58		FOH

PLEASE! - Be aware about the electric drops voltage - we need 230v

